

Madrone

Few woods compare to the natural beauty of Pacific Madrone. Set apart by its medium toned varied warm colors and smooth, even grain, this elegant Northwest native is also a very hard floor, more than 15% harder than Red Oak.

Quality is always our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, we then mould our flooring with a low offset tongue and groove for a deeper wear layer. Our mill's technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades

SELECT is our finest grade, appropriate for wherever a refined, upscale look is sought. Virtually clear, Select grade does allow for occasional small pin knots and burls.

CHARACTER is our very popular appearance grade. This grade highlights the structurally sound natural features of the wood, including knots no larger than 2" in diameter, tight burls, and small fillable holes and checks which will not effect the strength or integrity of the flooring.

RUSTIC is our long length grade specifically for our Wide Plank floors. Allows structurally sound larger knots and checks for a more naturally Antique look.

Color & Grain

Varied, coffee browns to burgundy reds, warm creams and salmon pinks. Smooth, subtle grain, includes a percentage of quartersawn, polishes to fine finish.

Hardness

Janka rating 1460 lbs (high traffic commercial or residential applications)

Dimensions

3/4" x 3", 4" & 5" (up to 6", 7" & 8" in Rustic grade)
Random lengths 1 to 8' (avg. 36 – 42" typ.)

Kiln Drying

Kiln dried to 6-8% moisture content (industry standard for hardwood flooring)

Millwork

Low offset, square edged tongue and groove pattern for extended wear surface
End matched (tongue and groove on ends of boards)

Packaging

6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)

Eco-Status

Northwest Native (ask about FSC certified availability)

Source Region

Best color and quality come from trees native to SW Oregon and N California

Lead Time

In stock regularly, ships within 2-3 days from order
(2-4 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership

Laurel

(Bay Laurel or Myrtle)

Laurelwood is truly like no other wood on earth. A daring and exotic wood, it creates a very sophisticated and dynamic atmosphere in a room. Highly prized for its unique figure, Laurel marbles together a wide palette of colors. Laurel's smooth, even grain and its durability make it a stunning floor.

Quality is our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, it is then moulded with a low offset tongue and groove for a deeper wear layer. Our mill's technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades	CHARACTER is our very popular appearance grade. This grade highlights the structurally sound natural features of the wood, including knots no larger than 2" in diameter, tight burls, and small fillable holes and checks which will not effect the strength or integrity of the flooring. RUSTIC is our long length grade specifically for our Wide Plank floors. Allows structurally sound larger knots and checks for a more naturally Antique look.
Color & Grain	Highly varied, cool steely gray's, slate blues and cocoa marbled with lighter creams. Smooth grain gets lost in color, highly figured around natural character features appears almost three dimensional in depth.
Hardness	Janka rating 1210 lbs (residential and commercial applications)
Dimensions	3/4" x 3", 4", 5", 6", 7" & 8" Character lengths: 1 to 8' (avg. 36 – 42" typ.) Rustic lengths: 1-10' (avg. 4-5')
Kiln Drying	Kiln dried to 6-8% moisture content (industry standard for hardwood flooring)
Millwork	Low offset, square edged tongue and groove pattern for extended wear surface End matched (tongue and groove on ends of boards)
Packaging	6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)
Eco-Status	Northwest Native (ask about FSC certified availability)
Source Region	Best color and quality come from trees native to SW Oregon and Northern California
Lead Time	In stock regularly, ships within 2-3 days from order (2-4 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership

Douglas Fir

Doug Fir is a timeless Northwest classic available in a wide range of styles, from clear to tight knot to an antique distressed look. A honey-golden toned wood, Douglas Fir has long been a favorite of architects and designers.

Quality is our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, it is then moulded with a low offset tongue and groove for a deeper wear layer. Our mill's technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades	CLEAR VERTICAL GRAIN (CVG) is our finest grade for fir, appropriate for wherever a refined, upscale look is sought. CVG grade is 90-100% vertical with occasional small pin knots. ALPINE fir flooring is a favorite when a simple, affordable country look is sought. This grade has a tight grain with frequent tight small knots no larger than 2" in diameter.
Color & Grain	CVG- Uniform rich honey ambers with some warm creams, very clean straight grain Alpine- Same colors as cvg with some deeper orange tones, more cream, grain patterning distinctly varied, cathedral patterns
Hardness	Janka rating 890 lbs (residential and light commercial applications)
Dimensions	CVG- 3/4" x 3-1/4" lengths 2-8'+ (avg. 5-6') longer may be specified Alpine- 3/4 x 3", 4" & 5" face widths lengths: 1 to 8' (avg. 36 – 42" typ.)
Kiln Drying	Kiln dried to 10-12% moisture content (industry standard for softwood flooring)
Millwork	Low offset, square edged tongue and groove pattern for extended wear surface Precision square cut ends (no site trimming of ends required)
Packaging	6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)
Eco-Status	CVG- Northwest Native & FSC certified Alpine- Northwest Native & Restoration Forestry
Source Region	CVG- FSC certified woods from Washington and Canada Alpine- Restorative Forestry primarily on public lands in N. California
Lead Time	In stock regularly, ships within 2-3 days from order (2-4 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership

Big Leaf Maple

Big Leaf Maple is prized for its unique translucent colors, ranging from a warm pale blonde to cocoa browns, as well as its distinguishing grain and figure.

Quality is our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, it is then moulded with a low offset tongue and groove for a deeper wear layer. Our mill's technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades

SELECT is our finest grade, appropriate for wherever a refined, upscale look is sought. Virtually clear, Select grade does allow for occasional small pin knots and burls.

CHARACTER is our very popular appearance grade. This grade highlights the structurally sound natural features of the wood, including knots no larger than 2" in diameter, tight burls, and small fillable holes and checks which will not effect the strength or integrity of the flooring.

RUSTIC is our long length grade specifically for our Wide Plank floors. Allows structurally sound larger knots and checks for a more naturally Antique look.

Color & Grain

Uniform bright, pale champagne with subtle pinkish undertones with some warm chocolate rippling throughout (more so with Character and Rustic grades). Grain is subtle, swirling, finishes to a luminescent glow with some highly figured wood, particularly in the Character grades.

Hardness

Janka rating 850 lbs (residential applications, comparable to American Cherry)

Dimensions

Select- 3/4" x 3", 4", 5" & 6" actual face width
Character- 3/4 x 3", 4" & 5" actual face width
Rustic Long- 3/4 x 6", 7" & 8" actual face width
Random lengths 1 to 10' (avg. 3-4' typical, 5-6' in Rustic Long grade)

Kiln Drying

Kiln dried to 6-8% moisture content (industry standard for hardwood flooring)

Millwork

Low offset, square edged tongue and groove pattern for extended wear surface
End matched (tongue and groove on ends of boards)

Packaging

6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)

Eco-Status

Northwest Native (ask about FSC certified availability)

Source Region

Best color and quality come from trees native to Northern Oregon and Washington

Lead Time

In stock regularly, ships within 2-3 days from order
(2-4 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership

California Chestnut

California Chestnut is an extremely hard wood. Its durability, honey-warm color and distinct grain with much quartersawn and rift flecking make it a great flooring appropriate for any high traffic application.

Quality is our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, it is then moulded with a low offset tongue and groove for a deeper wear layer. Our mill's technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades	CHARACTER is our very popular appearance grade. This grade highlights the structurally sound natural features of the wood, including knots no larger than 2" in diameter, tight burls, and small fillable holes and checks which will not effect the strength or integrity of the flooring. RUSTIC is our long length grade specifically for our Wide Plank floors. Allows structurally sound larger knots and checks for a more naturally Antique look.
Color & Grain	Warm caramel to rich cinnamon browns with creams. Distinct toothy and highly flowing grain, shows high percentage of rift and quartersawn flecking
Hardness	Janka rating 1450 lbs (heavy traffic commercial & residential applications)
Dimensions	Character – 3/4 x 3", 4" & 5" actual face width Rustic Long – 3/4 x 6", 7" & 8" actual face width Random lengths 1 to 10' (avg. 36-42" typical, 5-6' in Rustic Long grade)
Kiln Drying	Kiln dried to 6-8% moisture content (industry standard for hardwood flooring)
Millwork	Low offset, square edged tongue and groove pattern for extended wear surface End matched (tongue and groove on ends of boards)
Packaging	6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)
Eco-Status	Northwest Native (ask about FSC certified availability)
Source Region	Best color and quality come from trees native to SW Oregon and N. California
Lead Time	In stock regularly, ships within 2-3 days from order (2-4 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership

Oregon White Oak

Oregon White Oak is a classic wood known for its toughness, distinct figure and subtle color. Not your average oak, Oregon White is very similar to French White Oak and gets used frequently in the making of wine barrels and vats.

Quality is our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, it is then moulded with a low offset tongue and groove for a deeper wear layer. Our mill's technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades	<p>SELECT is our finest grade, appropriate for wherever a refined, upscale look is sought. Virtually clear, Select grade does allow for occasional small pin knots and burls.</p> <p>CHARACTER is our very popular appearance grade. This grade highlights the structurally sound natural features of the wood, including knots no larger than 2" in diameter, tight burls, and small fillable holes and checks which will not effect the strength or integrity of the flooring.</p> <p>RUSTIC is our long length grade specifically for our Wide Plank floors. Allows structurally sound larger knots and checks for a more naturally Antique look.</p>
Color & Grain	A uniquely cool toned wood, pale wheat to khaki coloring with warm cream tones. It's distinct, flowing grain, shows a high percentage of rift and quartersawn flecking.
Hardness	Janka rating 1660 lbs (heavy traffic commercial & residential applications)
Dimensions	<p>Select- 3/4" x 3", 4", 5" & 6"</p> <p>Character- 3/4 x 3", 4" & 5"</p> <p>Rustic Long- 3/4 x 6", 7" & 8"</p> <p>Random lengths 1 to 10' (avg. 36-42" typical, 5-6' in Rustic Long grade)</p>
Kiln Drying	Kiln dried to 6-8% moisture content (industry standard for hardwood flooring)
Millwork	Low offset, square edged tongue and groove pattern for extended wear surface End matched (tongue and groove on ends of boards)
Packaging	6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)
Eco-Status	Northwest Native (ask about FSC certified availability)
Source Region	Best color and quality come from trees native to NW Oregon and Washington
Lead Time	In stock regularly, ships within 2-3 days from order (2-4 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership

NW Orchard Walnut

Our Northwest Orchard Walnut's fame lay in its unique dark, rich color and well figured grain. A deeper, chocolate brown than eastern Black Walnut, but with warm port reddish tones, marbled with a light, warm creamy toned sap wood.

Quality is our first priority. Our lumber is carefully milled and kiln dried to produce a straight and stress-free floor board. Hand selected for grade, it is then moulded with a low offset tongue and groove for a deeper wear layer. Our mills' technicians maintain precise tolerances throughout the production process to assure a tight, long length, clean fitting floor that makes installation quick and easy.

TECHNICAL SPECIFICATIONS

Grades	CHARACTER is our very popular appearance grade. This grade highlights the structurally sound natural features of the wood, including knots no larger than 2" in diameter, tight burls, and small fillable holes and checks which will not effect the strength or integrity of the flooring.
Color & Grain	Rich dark chocolates, with port reds and swirling cream tones. Much deeper and warmer than eastern walnut. Smooth grain gets lost in color, highly figured around natural character features appears almost three dimensional in depth.
Hardness	Janka rating 1010 lbs (residential and commercial applications)
Dimensions	3/4" x Random mixed widths 3", 4", 5", 6", 7" & 8" Character lengths: 1 to 8' (avg. 36 – 42" typ.)
Kiln Drying	Kiln dried to 6-8% moisture content (industry standard for hardwood flooring)
Millwork	Low offset, square edged tongue and groove pattern for extended wear surface End matched (tongue and groove on ends of boards)
Packaging	6 piece, easy to carry, like length bundles (orders pulled to exact quantity needed)
Eco-Status	Orchard and Urban Salvage
Source Region	Best color and quality come from orchard or urban trees in Oregon and N California
Lead Time	In stock regularly, ships within 2-3 days from order (4-6 weeks if production necessary based on volume)

GREEN MOUNTAIN WOODWORKS

NORTHWEST PLANK FLOORING & BUTCHER BLOCK

225 Rogue River Parkway

Talent, Oregon (541) 535-5880

www.greenmountainwoodworks.com

info@greenmountainwoodworks.com

Proud Member of the Healthy Forests, Healthy Communities Partnership